

RESIDENT with POSITIONING Needs and with RANGE OF MOTION (ROM) LIMITATIONS

§483.25 309, §483.25(e) F317 and F318

Based on QIS CE Pathway CMS-20066 ADL and/or ROM Status

http://www.aging.ks.gov/Manuals/QISManual.htm

Use of this tool is not mandated by KDADS for regulatory compliance nor does its completion ensure regulatory compliance. It is a resident specific review tool for staff to complete on who needs assistance with repositioning and or has limitations in ROM. Additional critical thinking skills should be applied for a thorough evaluation.

DATE DUE:	
RESIDENT NAME:	
DATE(S) OF COMPLETION:	
STAFF COMPLETING RESIDENT REVIEW:	
 RESIDENT CRITERIA - Check all criteria applicable to resident selected for review. ☐ 1. Unable to position self independently (F309) ☐ 2. Had no limitations in ROM upon admission to nursing home and now has limitation in ROM (F317) ☐ 3. Has limitations with ROM upon admission to nursing home and may have potential to improve but has not improved or has further declined (F318) 	
 CODING INSTRUCTIONS Review the resident's assessment and care plan to see if the resident's concerns and needs were identified and addressed. Observe the resident, the care s/he receives and conduct interviews of the resident/family/representative and staff to see if the resident is receiving appropriate care and services. Based on your findings: 	
 ○ Check the appropriate box: Yes No ○ If the item does not apply to the resident leave the box blank. 	

Review ASSESSMENT

	Does Care Area Assessment (CAA) specify or direct to documentation in clinical record (MDS, physician orders, therapy notes & other progress notes) that accurately and comprehensively assesses resident's overall condition of needing assistance with positioning and limitations in ROM including following items:
	Description of positioning need and/or limitations in ROM
	Causal factors (cause) for any limitations in physical functioning that affect positioning and ROM
	Strengths and abilities of the resident that can contribute to improvement in range of motion
	Presence and degree of contractures
	Risk and contributing factors for decline or lack of improvement in ROM such as presence of an unstable condition, acute health problem, pain, change in cognition, behavioral symptoms, visual problems or a change in medications (psychoactive or anticholinergic) that may affect functional performance
	Rationale for care plan objective and goal
Revie	W CARE PLAN
	Care Plan:
	Has quantifiable, measurable objectives with timeframes to be able to assess whether the objectives have been met
	Based upon resident's goals, needs, and strengths
	Based upon resident choices and preferences and interdisciplinary expertise
	Reflects comprehensive assessment (MDS & CAA)
	Consistent with current standards of practice
	Promotes resident dignity
	Identifies interventions with sufficient specificity to guide provision of positioning
	Identifies restorative approaches specific enough to identify steps that both resident and staff will take to improve/ or maintain ROM
	Identifies interventions staff will implement for resident whose limitations in ROM affect performing oral care, personal hygiene and maintenance of cleanliness throughout day
	Identifies interventions to prevent skin breakdown in areas where contractures are present
	Provides for premedication prior to positioning and provision of ROM exercises

Review	v CARE PLAN continued
	Identifies needed devices, appliances, and equipment
	When refers to nursing home protocol for positioning and/or ROM exercises, deviations from or revisions to protocol for resident are clarified
	Protocol reference in care plan available to caregivers and staff familiar with protocol requirements
Reviev	v CARE PLAN REVISION
	Resident's condition and effectiveness of care plan interventions monitored and care plan revisions based upon
	following: Achieving outcome and/or effects of goals and interventions
	Decline or lack of improvement in ROM status
	•
	Complication with skin breakdown in areas with contractures
	Failure to comply with provision of care for positioning and range of motion activities and alternative approaches developed
	Change in condition, ability to make decisions, cognition, medications, behavioral symptoms or visual problems
	Evaluation of resident's level of participation with and response to care plan
	Resident's refusal or resistance to services requiring alternative means to address positioning and ROM needs.
OBSE	RVE RESIDENT
	Observe whether staff consistently implement the care plan over time and across various shifts.
	Care provided by qualified staff
	Care plan correctly implemented
	Staff followed current standards of practice in provision of care related to positioning and ROM exercising
	Care provided in a manner that prevents resident from expressing feelings of being ignored, disrespected, embarrassed,
	humiliated
	Resident free of any negative outcomes related provision of care and services
	1. For resident who is unable to position him/herself independently
	Staff:
	Position resident in bed maintaining proper body alignment, with limbs and head supported in a manner to prevent complications related to decreased mobility

OBSE	OBSERVE RESIDENT continued		
	Position resident in chair or reclining chair in correct alignment to prevent leaning, with limbs and head supported, as needed, and seated in a chair of appropriate size		
	2. For resident who <u>had no limitations</u> in range of motion prior to admission to the nursing home and now has limitations with <i>range of motion</i>		
	3. For resident <u>had some limitations</u> with <i>range of motion</i> prior to admission to the nursing home, and may have potential to improve but has not improved or has further		
	Staff:		
	Provide encouragement and assistance, as needed, in order for resident to complete ROM exercise program as care planned		
	Perform ROM exercises for resident in a formal or informal exercise program		
	Provide ROM with the joints supported, and provide movement of extremity in a smooth steady manner to the point of resistance (as assessed) for resident who can't perform ROM exercises		
	Provide resident with devices, rolls, pads or other types of appliances for areas with contractures		
	Respond appropriately to any indications of resident discomfort during ROM exercises, and care associated with contractures		
INTE	RVIEW RESIDENT/FAMILY/REPRESENTATIVE		
	Were you involved in the development of your care plan, approaches and goals?		
	Do the interventions reflect your choices and preferences?		
	Are you provided the assistance you need for ROM exercises according to your care plan?		
	Do you know how to use adaptive devices or exercise equipment for carrying out your ROM exercises?		
	Do staff provide timely assistance for positioning?		
	Have staff given you any instructions to help improve or maintain your ROM? Are you able to follow the instructions?		
	Do you tell staff when you have pain that affects your ability to carry out your AROM/PROM exercises?		
	Do staff manage your pain effectively so you can carry out your AROM/PROM exercises?		
	Can you tell me what limitation in ROM or contractures you had before you came to the nursing home?		
	Have you ever refused any positioning and/or ROM exercises?		
	Have you participated in any discussions about the potential impact of your refusal?		
	Did staff offer you other alternatives or other approaches when you refused positioning and/or ROM exercise?		

INTE	RVIEW RESIDENT/FAMILY/REPRESENTATIVE continued
	Were you involved in revising any care plan strategies & interventions, when positioning techniques and/or exercise, did not work or you refused them?
INTE	RVIEW NURSING STAFF
	Code based on person verbalizing appropriate answers on the questioned issue.
	What type & amount of assistance is needed by resident for positioning or ROM exercising? (Direct Care & Nurse)
	What are the rehabilitation and/or restorative care schedules and instructions to follow?(Direct Care & Nurse)
	What is the resident's level of comfort related to positioning and contracture? (Direct Care & Nurse)
	Does the resident resist any positioning or ROM exercising and if so, when does the resistance occur (for example, during certain types of care, certain times of the day, certain staff, etc.)? (Direct Care & Nurse)
	What is the process for monitoring implementation of care plan? (Nurse)
	How do you determine the effectiveness of positioning techniques and ROM exercises/restorative nursing program? (Nurse)
	What alternatives and other approaches are offered when resident refused interventions? (Nurse)
	If the resident is not on a restorative program, what is the rationale that resident could not benefit from a program (Nurse)
<u>INTE</u>	RVIEW OTHER HEALTH CARE PROFESSIONALS Complete if care provided or interventions do not appear to be consistent with recognized standards of practice. Interview one or more health care practitioners and professionals as necessary (e.g., physician, charge nurse, director of nursing) who, by virtue of training and knowledge of the resident, should be able to provide information about the causes,
	treatment, and evaluation of resident's condition or problem. If attending physician unavailable, interview medical director.
	Code based on person providing <u>appropriate</u> answers on the questioned issue.
	Identify staff interviewed and their title
	Has the resident declined in their ROM and what is the reason for their decline?
	How were chosen interventions determined appropriate?
	What is the rationale for lack of interventions for identified risks related to need for assistance with positioning and having limitations in ROM?
	What changes in the resident's condition warrant additional or different interventions?
	How do staff validated the effectiveness of current interventions?

INTE	INTERVIEW OTHER HEALTH CARE PROFESSIONALS continued		
	How do staff monitor approaches for restorative programs, such as policies/procedures, staffing requirements?		
	How do staff identify problems, assess resident and develop and implement care plans?		
	How do staff monitor and evaluate resident's responses to plan of care?		
AFTE	R REVIEW OF FINDINGS, QA COORDINATOR OR DESIGNEE SHOULD DETERMINE if the facility:		
	Recognized and assessed the resident's need for assistance with repositioning and type of assistance		
	Recognized and assessed factors affecting the resident's need for assistance with positioning and limited ROM		
	Defined and implemented pertinent interventions consistent with resident's condition, goals, and consistent with recognized standards of practice in order to provide needed services		
	Monitored and evaluated resident's response to interventions		
QA C	OORDINATOR OR DESIGNEE SHOULD ALSO DETERMINE		
	If the condition or risks were present at the time of the required <u>comprehensive assessment</u> , did the facility comprehensively assess the resident's physical, mental, and psychosocial needs to identify the risks and/or to determine underlying causes (to the extent possible) of the resident's need for assistance with positioning and limitation in ROM, and associated contractures, and the impact upon the resident's function, mood, and cognition? F72		
	Did the facility develop a <u>plan of care</u> with measurable goals and interventions to address care and treatment related to the positioning and limited ROM needs to (a) ensure provision of care to meet positioning and limited ROM needs (b) prevent decline in ROM abilities or (c) improve functioning, if applicable, in accordance with the assessment, resident's wishes, and current standards of practice? F279		
	Did the facility provide or arrange <u>services to be provided by qualified persons</u> in accordance with the resident's written plan of care? F282		
	Did the facility reassess the effectiveness of the interventions and <u>review and revise the plan of care</u> (with input from the resident or representative, to the extent possible), if necessary, to meet the needs of the resident? F280		

FOLLOW UP "NO" ANSWERS TO DETERMINE NEED FOR CORRECTIVE ACTION PLAN AND REPEAT OF THE TOOL ON THE SAME RESIDENT WITHIN TWO WEEKS OF FOLLOWING THE IMPLEMENTATION OF THE CORRECTIVE ACTION.